

Kidney stone treatment



If you are experiencing pain around the side of your abdomen, it could be a symptom of kidney stones. You may get kidney stones due to various biochemical or hormonal abnormalities or if you are frequently dehydrated. As a result of this dehydration, chemicals can build up and form crystals in your kidneys. Sometimes these are small enough to pass through your urine, but occasionally these crystals can build up to form a larger stone. Your Consultant may recommend treatment to break down the kidney stones and remove them in order to prevent them causing worsening pain or further problems.

Minimally invasive treatments to maximise your recovery

If you have been referred for a scan or cystoscopy to determine the cause of your symptoms, we can help identify the best treatment for your needs. Your Consultant may need to use a small laser to fragment and remove the stones. Very large stones may require surgery. They will discuss the best options for your treatment during your initial consultation, so that you know exactly what to expect.

<? if (!empty(\$strips_title)): ?>

Prices & payment

<? endif ?> <? if (!empty(\$strips_content)): echo \$strips_content; endif; ?>

Kidney stone treatment

£5,509

The above are guide prices only.

Our [terms and conditions can be found here](#).

Consultants



Mr John Donohue

KIMS Hospital+1 location

[View profile](#)



Mr Howard Marsh

Available at
KIMS Hospital

[View profile](#)



Mr Joseph Nariculam

Available at
KIMS Hospital

[View profile](#)



Mr Branimir Penev

KIMS Hospital+1 location

[View profile](#)



Mr Thomas Smith

KIMS Hospital+3 locations

[View profile](#)

FAQs

What are the signs and symptoms of kidney stones?

Larger kidney stones can cause intermittent pain or severe pain around the side of your abdomen or lower back. Occasionally they can cause blockages that affect your ability to pass urine normally. They can cause you to feel nauseous, but you may also find that you need to urinate more frequently, have trouble urinating or are experiencing burning sensations. Kidney stones can also be the cause of blood in your urine and could be the source of recurrent urine infections.

What other options are there for treatment?

Your Consultant will discuss the best options to treat your kidney stones on a case by case basis. Some smaller kidney stones can pass through your urine and you may be encouraged to drink plenty of fluids to aid this process. Other larger stones may need laser fragmenting, shockwave treatment or keyhole surgery. Your Consultant will be able to discuss all these options with you.

Where will my treatment take place?

Regardless of where you had your initial consultation, if you need laser fragmenting, shockwave treatment or keyhole surgery, these will be carried out at KIMS Hospital in Maidstone. Most outpatient appointments, including follow up appointments with your Consultant, can take place at either KIMS Hospital or Sevenoaks Medical Centre.

Will kidney stone treatment hurt?

Most kidney stones can be removed and treated without making any incisions. As a result, the recovery is normally very quick. After the procedure, you may experience some discomfort for the first few times you pass urine, but this should only be temporary, and we will encourage you to drink plenty of fluids.

Will I need to stay in hospital?

Treatment for kidney stones is usually carried out as a day case, which means that you should be able to go home after the procedure. Your Consultant will discuss this with you before your procedure.

What is the cost of private kidney stone treatment at KIMS Hospital?

A private kidney stone treatment at KIMS Hospital starts from £5,509. You can use private medical insurance or pay for yourself. Flexible payment plans are available to spread the cost.